

OWNER'S MANUAL

MULTIFUNCTION CONFERENCE SYSTEM MANUAL

! " # \$ % &



HT-7100

' () * +

! " # \$ % & ' # % () * + , - . / 0 1 # 2 + - . / 3 4 5 6 # 7 8 9 : ;
< = > ? @ A . B C D E F G / H G I J K L ! " M N * + >

! " ? @ O P Q R S T 3 4 # U ? V W Q R X Y Z 4 > [\] ' ^ _ ` ! " a b
5 6 c Q R a b 5 6 d \] a b 5 6 > \ a] \$ e f 4 1 5 W # g h \] ? i 6 0 j k l
/ \ m g n # g h \] o p q / r s % t u v ? w x 2 4 0 h >

1.0, - . / # \$ % & 0 1 2 3 4

I \ a] A : ; ! " g y O P z { | a b } B ~ s • 2 + . Q ! C O T D (Q) T

1.1 O2

1E Qo DQ(POWER) (\ 1 Db Qo a.o D

D

QVOV
O T

2.0 JK2LM; NO

2P1QR>? NO:

I i evw:40HZ-16KHZ>

I 789:-44dB: 2dB

I Y; <I =W:20~120cm

I h' ?>. 6E??6@8

I Fb5J { &? _

I ABc0.9kg

2P2, STUNO:

I \] Ac7C TFT 16:9

I KDec 800*480

I E Fc 262K

I GHI /c 200x110x20mm

I SoP, cAJ USB P,

I KL_+ TFT { M~F - &A#\] UNOPEQERSy

I ?\] A: FG/TUEV2EWXE: OEYOE?5+2 12 Tf 12 O TD#2

12 Tf 21. 12 \$. TD (,) Tj /F5+5 12 Tf 8.

6.0 %&67 / # O

1Vk: ; \a] Ew] ; \a]

